


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



SPECIFICATIONS:

- Frequency Range: 0.1 to 1.3 GHz
- Insertion Loss: 2.5dB MAX.
- Isolation: 18dB MIN.
- VSWR: 1.50:1 MAX.
- Forward Power (CW): 1 Watt MAX.
- Amplitude Balance: ±1.0 MAX.
- Phase Balance: 10° MAX.
- Impedance: 50 Ohms

MATERIAL:		MCLI MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM	SCALE: N/A
			SHEET: N/A
UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°		DRAWING TITLE: 4-WAY POWER DIVIDER, STAINLESS STEEL NF CONNECTORS	
DRAWN: Paiboon Luekhamhan		PART NO.: PL4-27/NF	
DATE: 06-01-2009		CAGE CODE: OD2L5	
APPROVED: T. Nguyen		DATE: 06-01-2009	
THIRD ANGLE PROJECTION		SIZE: C	REV: N/A
		DWG NO.: 80159	
DO NOT SCALE THE DRAWING			