


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



SPECIFICATIONS
 Frequency Range: 4.5–5.1 GHz
 Insertion Loss: 0.7dB Max.
 Isolation: 18dB Min.
 VSWR: 1.40:1 Max.
 Phase Balance: ±3 Deg. Max.
 Amplitude Balance: ±0.3dB Max.
 Power: 20W (Load vswr@1.2)

MATERIAL:			MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE:	N/A	
			UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°	DRAWING TITLE:		3-WAY POWER DIVIDER	
DRAWN:		DATE:		PART NO.		PS3-97/NF	
Paiboon Luekhamhan		07-25-2003		CAGE CODE:		SIZE:	N/A
APPROVED:		DATE:		DO NOT SCALE THE DRAWING		REV:	N/A
T. Nguyen		07-25-2003		OD2L5		DWG NO.	81997
		PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)		THIRD ANGLE PROJECTION 			