



REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



SPECIFICATIONS

- Frequency Range: 200–400 MHz
- Isolation: 20dB Min.
- VSWR: 1.40:1 Max.
- Insertion Loss: 0.2dB Max.
- Phase Balance: 180° ±5° Max.
- Amplitude Balance: 0.1dB Max.
- Power: 200 Watts CW

MATERIAL:			MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE: N/A	
			UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.015 ANGLE: ±1/2°		SHEET: N/A	
DRAWING TITLE:		180° HYBRID COMBINER/DIVIDER				
PART NO.:		HJ-1				
DRAWN:	DATE:	PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)	CAGE CODE:	SIZE:	REV:	DWG NO.:
APPROVED:	DATE:		OD2L5	N/A	A	80749
Paiboon Luekhamhan T. Nguyen		03-22-2013 03-22-2013	DO NOT SCALE THE DRAWING			

