


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



Part No.	Freq. Range (GHz)	Insertion Loss (dB) Max.	Reverse Isolation (dB) Min.	VSWR Max.	Power Fwd. (W)	Power Rev. (W)	Temperature Range, °C
IS-369	0.96-1.22	0.5	19	1.25	20	10	-40 to +70
IS-370	1.15-1.25	0.5	20	1.20	20	10	-40 to +70
IS-371	1.785-1.815	0.3	23	1.15	20	10	-40 to +70

MATERIAL:			MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE:	N/A
			UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.02 ±.009 ANGLE: ±1/2°	DRAWING TITLE:		COAXIAL ISOLATOR
DRAWN:		DATE:	PART NO.		IS-369-371	
Paiboon		06-11-2024	CAGE CODE:		SIZE:	N/A
APPROVED:		DATE:	REV:		DWG NO.	
T. Nguyen		06-11-2024	OD2L5		87244	
		THIRD ANGLE PROJECTION	DO NOT SCALE THE DRAWING			