


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



**SPECIFICATIONS**

Frequency Range: 0.5–3 GHz  
 Gain: 30dB Min.  
 VSWR Input: 1.50:1 Max.  
 Noise Figure: 1.7dB Max.  
 Power Output: +10dBm Min. @1dB PT  
 Power Supply: +12Vdc Min, +15Vdc Max.

MATERIAL:			MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE:	N/A
			UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.03 ±.015 ANGLE: ±1/2°		SHEET:	N/A
DRAWN:		PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)		DRAWING TITLE:		
DATE:		THIRD ANGLE PROJECTION		LOW NOISE AMPLIFIER		
APPROVED:				PART NO.		
DATE:		CAGE CODE:		LNA-3-30		
T. Nguyen		08-19-2015		OD2L5		83933
		08-19-2015		SIZE: A		REV: A
				DO NOT SCALE THE DRAWING		