


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



SPECIFICATIONS

Frequency Range: 8–18 GHz
 Gain: 14dB
 Gain Flatness: ±1.5dB Max.
 Noise Figure: 3.4dB
 Power Output dBm: +20 @1dB PT
 Current: 160 mA

MATERIAL:			MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SHEET:	N/A
UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°			DRAWING TITLE:		RF AMPLIFIER	
DRAWN:		DATE:		PART NO.		
Paiboon Luekhamhan		08-11-2008		PA-818-20		
APPROVED:		DATE:		CAGE CODE:	SIZE:	REV:
T. Nguyen		08-11-2008		0D2L5	A	N/A
PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)		THIRD ANGLE PROJECTION 		DWG NO.		83869
				DO NOT SCALE THE DRAWING		