


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



SPECIFICATIONS

Frequency Range: 0.5–100 MHz
 Isolation: 28dB Min.
 Insertion Loss: 0.5dB Max.
 Amplitude Balance: ±0.2dB Max.
 VSWR: 1.30:1 Max.
 Phase Balance: ±1° Max.

MATERIAL:			MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE:	N/A
			UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°		DRAWING TITLE:	2-WAY POWER DIVIDER
DRAWN:		DATE:		PART NO.		DWG NO.
Paiboon Luekhamhan		01-21-2006		PL2-2-75/BF		
APPROVED:		DATE:		CAGE CODE:	SIZE:	REV:
T. Nguyen		01-21-2006		OD2L5	A	N/A
		PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)		DO NOT SCALE THE DRAWING		82744
		THIRD ANGLE PROJECTION 				