


REVISIONS				
ZONE	REV	DESCRIPTION	Date	APPROVED



SPECIFICATIONS

FREQUENCY RANGE: 1-300 MHz
 INSERTION LOSS: 2.0dB Max.
 ISOLATION: 17dB Min.
 AMPLITUDE BALANCE: ±0.6dB Max.
 PHASE BALANCE: ±8 Deg. Max.
 POWER: 1 Watt Max.

MATERIAL:	
DRAWN: Paiboon Luekhamhan	DATE: 04-03-2006
APPROVED: T. Nguyen	DATE: 04-03-2006

	MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE: N/A
	UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°		SHEET: N/A
DRAWING TITLE: 5-WAY POWER DIVIDERS			
PART NO. PL5-10			
CAGE CODE: OD2L5	SIZE: N/A	REV: N/A	DWG NO. 82157
DO NOT SCALE THE DRAWING			

PROPRIETARY NOTICE:
THE INFORMATION IN THIS DRAWING IS PROPRIETARY
AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN
PERMISSION FROM MICROWAVE COMMUNICATIONS
LABORATORIES INC. (MCLI)

THIRD ANGLE PROJECTION