


REVISIONS				
ZONE	REV	DESCRIPTION	Date	APPROVED



**SPECIFICATIONS**

Frequency Range: 0.01–100 MHz  
 Isolation: 23dB Min.  
 VSWR: 1.40:1 Max.  
 Insertion Loss: 1.6dB Max.  
 Amplitude balance:  $\pm 0.6$ dB Max.  
 Phase balance:  $\pm 8$  Deg. Max.  
 Power: 1 Watt Max.

MATERIAL:			MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE: N/A
			UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: $\pm 1/64$ DECIMALS: $\pm 0.01 \pm 0.005$ ANGLE: $\pm 1/2^\circ$		SHEET: N/A
DRAWN: Paiboon Luekhamhan		DATE: 08-01-2018		DRAWING TITLE: 8-WAY POWER DIVIDER	
APPROVED: T. Nguyen		DATE: 08-01-2018		PART NO. PL8-24	
		PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)		CAGE CODE: OD2L5	SIZE: N/A
		THIRD ANGLE PROJECTION 		REV: N/A	DWG NO. 86777
				DO NOT SCALE THE DRAWING	