


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



SPECIFICATIONS

Frequency Range: 5–18 GHz
 Insertion Loss: 3dB Max.
 Isolation: 12dB Min.
 Amplitude Balance: ± 2 dB Max.
 VSWR: 1.90:1 Max.
 Input Power: 10W (Load vswr @ 1.2)

MATERIAL:			MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE:	N/A	
			UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: $\pm 1/64$ DECIMALS: $\pm 0.01 \pm 0.005$ ANGLE: $\pm 1/2^\circ$		SHEET:	N/A	
DRAWING TITLE:		12-WAY POWER DIVIDER					
PART NO.:		PS12-10					
DRAWN:	DATE:	PROPERTY NOTICE:		CAGE CODE:	SIZE:	REV:	DWG NO.:
Paiboon Luethamhan	07-12-2007	THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)		OD2L5	C	N/A	82854
APPROVED:	DATE:	THIRD ANGLE PROJECTION		DO NOT SCALE THE DRAWING			
T. Nguyen	07-12-2007						