


REVISIONS				
ZONE	REV	DESCRIPTION	Date	APPROVED



**SPECIFICATIONS**

Frequency Range: 18–65 GHz  
 Insertion Loss: 3.5dB Max.  
 Isolation: 20dB Min.  
 Amplitude Balance: ±1.0dB Max.  
 VSWR In/Out: 2.00:1 Max.  
 Phase Balance: ±10 Deg. Max.

MATERIAL:		<b>MCLI</b> MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM	SCALE: N/A
			SHEET:
UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°		DRAWING TITLE: <b>2-WAY POWER DIVIDER</b>	
DRAWN: Paiboon Luekhamhan		PART NO. <b>PS2-187</b>	
DATE: 07-08-2009	DATE: 07-08-2009	DWG. NO. <b>84554</b>	
APPROVED: T. Nguyen	DATE: 07-08-2009	CAGE CODE: OD2L5	SIZE: A REV: N/A DO NOT SCALE THE DRAWING
<small>PROPRIETARY NOTICE:          THE INFORMATION IN THIS DRAWING IS PROPRIETARY          AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN          PERMISSION FROM MICROWAVE COMMUNICATIONS          LABORATORIES INC. (MCLI)</small>			