


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



SPECIFICATIONS

Frequency Range: 10–70 GHz
 VSWR: 2.00:1 Max.
 Amplitude Balance: ±1.0dB Max.
 Phase Balance: ±15 Deg. Max.
 Insertion Loss: 3.0dB Max.
 Isolation: 10dB Min.
 Input Power: 10W Max. @ vswr 1.20:1

MATERIAL:		MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM	SCALE:	N/A		
			SHEET:	N/A		
UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°		DRAWING TITLE:				
		2-WAY POWER DIVIDER				
DRAWN:		PART NO.				
Paiboon		PS2-259				
DATE:	07-26-2018	PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)	CAGE CODE:	SIZE:	REV:	DWG NO.
APPROVED:	T. Nguyen		07-26-2018	OD2L5	A	N/A
		THIRD ANGLE PROJECTION	DO NOT SCALE THE DRAWING			