


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



**SPECIFICATIONS**

- Frequency Range: 1–2 GHz
- Insertion Loss: 0.35dB Max.
- Isolation: 18dB Min.
- VSWR Input/Output: 1.35:1/1.20:1 Max.
- Amplitude Balance: ±0.2dB Max.
- Phase Balance: ±3 Deg. Max.
- Power: 30W (Load vswr@1.2)

MATERIAL:	
DRAWN: Paiboon Luekhamhan	DATE: 12-11-2001
APPROVED: T. Nguyen	DATE: 12-11-2001

	MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 <a href="http://WWW.MCLI.COM">http://WWW.MCLI.COM</a>		SCALE: N/A
	UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°		SHEET: N/A
DRAWING TITLE: <p style="text-align: center;">2-WAY POWER DIVIDER</p>		PART NO.	
PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)		PS2-2/NF/DC	
CAGE CODE: OD2L5	SIZE: A	REV: N/A	DWG NO. 82736
DO NOT SCALE THE DRAWING			

