


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



SPECIFICATIONS

- Frequency Range: 1–3 GHz
- Insertion Loss: 0.5dB Max.
- Isolation: 17dB Min.
- Amplitude Balance: ±0.5dB Max.
- Phase Balance: ±6 Deg. Max.
- VSWR In/Out: 1.50:1/1.40:1 Max.
- Power: 10W (Load vswr @ 1.2)

MATERIAL:		MCLI	MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE: N/A
UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°			DRAWING TITLE: 3-WAY POWER DIVIDER		
		DRAWING TITLE: PS3-23		SHEET: N/A	
DRAWN: Paiboon Luekhamhan	DATE: 06-29-1999	PART NO.:		CAGE CODE: OD2L5	
APPROVED: T. Nguyen	DATE: 06-29-1999	PROPERTY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)		SIZE: N/A	REV: N/A
		THIRD ANGLE PROJECTION		DWG NO. 81333	
				DO NOT SCALE THE DRAWING	