


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



SPECIFICATIONS

Frequency Range: 0.5–2.5 GHz
 Insertion Loss: 0.8dB Max.
 Isolation: 16dB Min.
 Phase Balance: ±4 Deg. Max.
 Amplitude Balance: ±0.3dB Max.
 VSWR: 1.45:1 Max.
 Power: 30W (Load vswr@1.2)

MATERIAL:		MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM	SCALE:	N/A
			SHEET:	N/A
UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°		DRAWING TITLE:		
		3-WAY POWER DIVIDER		
DRAWN:		PART NO.		
Paiboon Luekhamhan		PS3-79		
DATE:	10-12-2011	PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)	CAGE CODE:	SIZE: A
APPROVED:	T. Nguyen		OD2L5	REV: A
DATE:		DO NOT SCALE THE DRAWING		
10-12-2011				

