


| REVISIONS | | | | |
|-----------|-----|-------------|------|----------|
| ZONE | REV | DESCRIPTION | DATE | APPROVED |
| | | | | |



SPECIFICATIONS

Frequency Range: 2-14 GHz
 Isolation: 12dB Min.
 Insertion Loss: 2.7dB Max.
 Amplitude Balance: ± 0.8 dB Max.
 VSWR (In/Out): 1.90:1/1.80:1 Max.
 Phase Balance: ± 10 Deg. Max.
 Power Rating: 10 Watts

| | | | | |
|----------------------|------------|--|--------------------------|-------|
| MATERIAL: | | MCLI MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://www.mcli.com | SCALE: | N/A |
| | | | SHEET: | N/A |
| DRAWING TITLE: | | 4-WAY POWER DIVIDER | | |
| PART NO.: | | PS4-11/NF | | |
| DRAWN: | DATE: | <small>PROPRIETARY NOTICE:</small> THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI) | CAGE CODE: | SIZE: |
| APPROVED: | DATE: | | OD2L5 | REV: |
| Paiboon Luengkhamhan | 08-26-1998 | THIRD ANGLE PROJECTION | DO NOT SCALE THE DRAWING | 81126 |
| T. Nguyen | 08-26-1998 | | | |