


REVISIONS				
ZONE	REV	DESCRIPTION	Date	APPROVED



SPECIFICATIONS

- Frequency Range: 3.3–5.5 GHz
- Insertion Loss: 1.0dB Max.
- Isolation: 17dB Min.
- Power Rating: 30 Watts
- Amplitude Balance: ± 0.5 dB
- VSWR IN/OUT: 1.45:1/1.40:1 Max.
- Phase Balance: ± 10 Deg

MATERIAL:		MCLI MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://www.mcli.com	SCALE:	N/A
			SHEET:	N/A
		UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: $\pm 1/64$ DECIMALS: $\pm 0.01 \pm 0.005$ ANGLE: $\pm 1/2^\circ$	DRAWING TITLE: 8-WAY POWER DIVIDER	
DRAWN: Paiboon Luexhamhan		DATE: 03-17-2004	PART NO. PS8-18	
APPROVED: T. Nguyen		DATE: 03-17-2004	CAGE CODE: OD2L5	SIZE: N/A REV: N/A DWG NO. 82068
		PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)	DO NOT SCALE THE DRAWING	