



REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED

SPECIFICATIONS

Frequency Range: 0.1–1 GHz
 Insertion Loss: 1.2dB Max.
 Isolation: 23dB Min.
 Phase Balance: ±10 Deg. Max.
 Amplitude Balance: ±0.5dB Max.
 VSWR IN/OUT: 1.50:1/1.25:1 Max.
 Power: 20W (Load vswr@1.2)

MATERIAL:		 MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM	SCALE:	N/A
			SHEET:	N/A
		DRAWING TITLE:	8-WAY POWER DIVIDER	
		PART NO.:	PS8-69/NF	
DRAWN: Paiboon Luekhamhan	DATE: 10-13-1998	PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)	CAGE CODE:	OD2L5
APPROVED: T. Nguyen	DATE: 10-13-1998	THIRD ANGLE PROJECTION 	SIZE: C REV: N/A DO NOT SCALE THE DRAWING	DWG NO.: 81157